



CATÁLOGO DE PARTES



 VICTORY

MRX

125



ESQUEMA DE
ENCENDIDO
AUTOMÁTICO
EN LUGAR

Este modelo incorpora
un sistema de encendido
automático en lugar
de la llave.

Ver manual de usuario para más detalles.



SISTEMA
ANTIBLOQUEO
DE FRENOS
NO INCLUIDO



LLAVE DE
CIRCULACIÓN
DIURNA
NO INCLUIDO

Este modelo incorpora
un sistema de llave de
circulación diurna
no incluido.

Ver manual de usuario para más detalles.

Mobil Super
4T Ultra



www.autecomobility.com | contactanos@autecomobility.com
Línea gratuita nacional 018000 413 812



PREFACIO

Es nuestro placer presentarles a ustedes el Catálogo de Partes.

Este Catálogo ha sido especialmente diseñado para ayudarle en la selección de las partes correctas con el fin de mantener el vehículo en las mejores condiciones.

Los repuestos originales están sujetos a un exigente estándar de control de calidad, por lo tanto es necesario que usted sólo use repuestos originales.

En nuestro constante esfuerzo para mejorar la eficiencia y desempeño de su vehículo, las especificaciones, diagramas y número de partes pueden cambiar sin previo aviso. Consecuentemente las descripciones de los repuestos en este Catálogo pueden no ser las finales y definitivas.

Las alteraciones y modificaciones que ocurren en la impresión de este Catálogo, serán informadas a nuestra red, a través de circulares de Servicio o en nuestra página web: www.autecomobility.com accediendo al link repuestos. Es requisito que usted actualice su Catálogo y haga las correcciones necesarias, una vez reciba dichas circulares. Lo anterior le asegurará un rápido y adecuado despacho de sus partes, pues las órdenes están siendo diligenciadas con las referencias más actualizadas.

En caso de necesitar asistencia técnica, comunicarse con el Distribuidor Autorizado o llamar al Departamento de Servicios Auteco Mobility.

REVISADO ENERO 2025

MobilTM SuperTM

4T Ultra

Aceite de alto desempeño para motores de cuatro tiempos



GRADO
SAE

20W-50

CUMPLE CON LAS
NORMATIVAS

JASO MA
JASO MA2
API SL



CÓDIGO SAP:

CAJA X 12
21010428

UNIDAD
21010430



PROPIEDADES BENEFICIOS



- **Buena protección contra el desgaste**
Ayuda a prolongar la vida útil del motor.
- **Estabilidad térmica y contra la oxidación**
Ayuda a mantener los motores limpios para proporcionar una operación más suave, posibilitando la extensión de frecuencia de cambios de aceite.
- **Buena protección contra la corrosión**
Protege los componentes críticos del motor contra los ácidos de la combustión y la humedad.



Recomendado para las motocicletas
con viscosidad **20W-50**

El amor por tu motor ahora es **AMARILLO** con la

NUEVA TECNOLOGÍA
DURAFILM



EL EQUIPO ORIGINAL
DE LAS MOTOCICLETAS



*Una garantía de respaldo,
calidad y experiencia.*



**¡POR DESEMPEÑO,
CALIDAD Y PRECIO!**

ELIGE LLANTAS QUEEN

SCOOTER

MOTOCARRO

STREET

DOBLE
PROPÓSITO

PISTERA















Encuétralos en todos los agentes y concesionarios autorizados por AUTECO del país




INDICE

FIG. Nº	DESCRIPCIÓN	PAG. Nº
FIG. Nº 1	CULATA - CILINDRO MOTOR	1
FIG. Nº 2	EJE LEVAS - VALVULAS	(2 - 3)
FIG. Nº 3	CUBIERTA CLUTCH - CUBIERTA VOLANTE	4
FIG. Nº 4	CLUTCH	5
FIG. Nº 5	BOMBA ACEITE - FILTRO CENTRIFUGO ACEITE	6
FIG. Nº 6	CARCASAS	(7 - 8)
FIG. Nº 7	CIGÜEÑAL - BALANCEADOR - PISTON	9
FIG. Nº 8	TRANSMISION	(10 - 11)
FIG. Nº 9	EJE CAMBIOS - EJE SELECTOR CAMBIOS	12
FIG. Nº 10	VOLANTE - PLATO BOBINAS	13
FIG. Nº 11	MOTOR DE ARRANQUE	14
FIG. Nº 12	CARBURADOR	15
FIG. Nº 13	COMPLEMENTOS CHASIS - GATO LATERAL	16
FIG. Nº 14	SOPORTE MOTOR	17
FIG. Nº 15	CAJA FILTRO AIRE	18
FIG. Nº 16	MANUBRIO - ESPEJOS	19
FIG. Nº 17	TANQUE GASOLINA	20
FIG. Nº 18	SILLIN	21
FIG. Nº 19	SILENCIADOR	22
FIG. Nº 20	PEDAL CAMBIOS - PEDAL FRENO - PEDAL CRANK	23
FIG. Nº 21	REPOSAPIE CONDUCTOR - REPOSAPIE PASAJERO	24
FIG. Nº 22	ESPIGA CENTRAL - CABEZA ESPIGA	25
FIG. Nº 23	SUSPENSION DELANTERA	(26 - 27)
FIG. Nº 24	GUARDABARRO DELANTERO	28
FIG. Nº 25	BOMBA FRENO DELANTERO	29
FIG. Nº 26	RUEDA DELANTERA	30
FIG. Nº 27	RUEDA TRASERA	31

FIG. Nº	DESCRIPCIÓN	PAG. Nº
FIG. Nº 28	PORTA BANDAS TRASERO	31
FIG. Nº 29	SWICHE DE ENCENDIDO	32
FIG. Nº 30	BRAZO OSCILANTE - MONOSHOCK	33
FIG. Nº 31	SPROCKET - CADENA	34
FIG. Nº 32	FAROLA - CARENAJE FAROLA	35
FIG. Nº 33	VELOCIMETRO - DIRECCIONALES DELANTERAS	36
FIG. Nº 34	ENFOCADORES	37
FIG. Nº 35	TAPA LATERAL - CUBIERTA SILLIN	38
FIG. Nº 36	CUBIERTA STOP	39
FIG. Nº 37	GUARDABARRO TRASERO	40
FIG. Nº 38	STOP - DIRECCIONALES TRASERAS	41
FIG. Nº 39	CABLES	42
FIG. Nº 40	SISTEMA ELECTRICO	43
FIG. Nº 41	AGARRADERA PASAJERO	44
FIG. Nº 42	CAJA HERRAMIENTAS	45
FIG. Nº 43	VALVULA DE AIRE	46
FIG. Nº 44	CALCOMANIAS Y ACCESORIOS	47
FIG. Nº 45	CALCOMANIAS MRX125 CAMO PRO_NEGRO NEB VERDE_CAFE	48
FIG. Nº 46	ACCESORIO CAMO PRO	49
FIG. Nº 47	KITS	50

 缸头部件/缸体部件 CYLINDER HEAD ASSY/CYLINDER ASSEMBLY		 配气机构 VALVE MECHANISM		 曲轴箱盖 CRANKCASE COVER	
FIG. N° 1 CULATA - CILINDRO MOTOR	PAG. N° 1	FIG. N° 2 EJE LEVAS - VALVULAS	PAG. N° (2 - 3)	FIG. N° 3 CUBIERTA CLUTCH - CUBIERTA VOLANTE	PAG. N° 4
 离合器总成 CLUTCH ASSY		 机油泵部件/机油滤清器部件 OIL PUMP/OIL FILTER		 曲轴箱 CRANKCASE	
FIG. N° 4 CLUTCH	PAG. N° 5	FIG. N° 5 BOMBA ACEITE - FILTRO CENTRIFUGO ACEITE	PAG. N° 6	FIG. N° 6 CARCASAS	PAG. N° (7 - 8)

 曲轴连杆部件 / 活塞 CRANKSHAFT CONNECTING-ROD ASSY/PISTON	 传动机构 TRANSMISSION MECHANISM		 变速机构 GEARSHIFT MECHANISM		
FIG. N° 7 CIGÜEÑAL - BALANCEADOR - PISTON	PAG. N° 9	FIG. N° 8 TRANSMISSION	PAG. N° (10 - 11)	FIG. N° 9 EJE CAMBIOS - EJE SELECTOR CAMBIOS	PAG. N° 12
 磁电机总成 MAGNETO COMP	 电启动机构 ELECTRIC STARTING MECHANISM		 FIG. N° 12 CARBURADOR		
FIG. N° 10 VOLANTE - PLATO BOBINAS	PAG. N°				

					
FIG. N° 13 COMPLEMENTOS CHASIS - GATO LATERAL	PAG. N° 16	FIG. N° 14 SOPORTE MOTOR	PAG. N° 17	FIG. N° 15 CAJA FILTRO AIRE	PAG. N° 18
					
FIG. N° 16 MANUBRIO - ESPEJOS	PAG. N° 19	FIG. N° 17 TANQUE GASOLINA	PAG. N° 20	FIG. N° 18 SILLIN	PAG. N° 21




FIG. N° 19 SILENCIADOR

PAG. N° 22




FIG. N° 20 PEDAL CAMBIOS - PEDAL FRENO - PEDAL CRANK

PAG. N° 23




FIG. N° 21 REPOSAPIE CONDUCTOR - REPOSAPIE PASAJERO

PAG. N° 24




FIG. N° 22 ESPIGA CENTRAL - CABEZA ESPIGA

PAG. N° 25




FIG. N° 23 SUSPENSION DELANTERA

PAG. N° (26 - 27)















FIG. N° 24 GUARDABARRO DELANTERO

PAG. N° 28

					
FIG. N° 25 BOMBA FRENO DELANTERO	PAG. N° 29	FIG. N° 26 RUEDA DELANTERA	PAG. N° 30	FIG. N° 27 RUEDA TRASERA	PAG. N° 31
					
FIG. N° 28 PORTA BANDAS TRASERO	PAG. N° 31	FIG. N° 29 SWICHE DE ENCENDIDO	PAG. N° 32	FIG. N° 30 BRAZO OSCILANTE - MONOSHOCK	PAG. N° 33

					
FIG. N° 31 SPROCKET - CADENA	PAG. N° 34	FIG. N° 32 FAROLA - CARENAJE FAROLA	PAG. N° 35	FIG. N° 33 VELOCIMETRO - DIRECCIONALES DELANTERAS	PAG. N° 36
					

								
FIG. N° 37 GUARDABARRO TRASERO		PAG. N° 40	FIG. N° 38 STOP - DIRECCIONALES TRASERAS		PAG. N° 41	FIG. N° 39 CABLES		PAG. N° 42
								
FIG. N° 30 SISTEMA ELECTRICO		PAG. N° 43	FIG. N° 41 AGARRADERA PASAJERO		PAG. N° 44	FIG. N° 42 CAJA HERRAMIENTAS		PAG. N° 45



					
FIG. N° 43 VALVULA DE AIRE		FIG. N° 44 CALCOMANIAS Y ACCESORIOS		FIG. N° 45 CALCOMANIAS MRX125 CAMO PRO_NEGRO NEB VERDE_CAFE	
					
FIG. N° 46 ACCESORIO CAMO PRO					

FIGURA N° 1: CULATA - CILINDRO MOTOR




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	100011261-0004	TORNILLO 6X12	1	11042029
2	100106538	ARANDELA 6 MM	1	11042149
3	100100407-0004	TORNILLO TAPA CULATA	2	11042229
4	100208911	SELLO TORNILLO TAPA CULATA	2	11042203
5	100102852-0003	TAPA CULATA	1	11042233
6	100208447	EMPAQUE TAPA CULATA	1	11042196
7	100102726	PIN GUIA 9X13	1	11042086
8	100104517	ANILLO RETENEDOR	1	11042121
9	100104154	BUJIA CHAMPION P-RG6HCC	1	11078006
10	100108440-0003	CULATA (SOLA)	1	11042240
11	100108521	EMPAQUE CULATA	1	11042157
12	100010556	PIN GUIA 10X12	2	11042030
13	100108432-0002	CILINDRO (SOLO)	1	11042239
14	100102822	CAUCHO PROTECTOR CILINDRO	2	11042087
15	100208590	EMPAQUE CILINDRO	1	11042198
16	100011285-0001	TORNILLO 6X105	2	11042217
17	100107753	ANILLO RETENEDOR 30X2.5	1	11042153
18	100057104	ANILLO RETENEDOR 25X2.4	1	11042048
19	100208765	BAQUELA MULTIPLE ADMISION	1	11042202
20	100105492-0002	CONDUCTO DESFOGUE TAPA CULATA	1	11042238
21	100011264-0003	TORNILLO 6X16	1	11042213
22	100066615	ANILLO RETENEDOR 10X2.3	1	11042050
23	21016849	KIT CILINDRO	1	21016849
24	21016927	KIT EMPAQUES	1	21016927

2

3

FIGURA N° 3: CUBIERTA CLUTCH - CUBIERTA VOLANTE




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	100011536-0002	TORNILLO 6X30	5	11042218
2	100011538-0003	TORNILLO 6X40	8	11042220
3	100104733	RETEN 16X28X7	1	11042123
4	100203168-0004	EJE INTERNO CUBIERTA CLUTCH	1	11042244
5	100104759	RETEN 12X18X5	1	11042125
6	100103443	RESORTE EJE INTERNO CUBIERTA	1	11042095
7	100100636-0001	PIN DE SEGURIDAD	1	11042232
8	100206203-0203	CUBIERTA CLUTCH	1	11042247
9	100104883	TAPON NIVEL ACEITE	1	11042129
10	100031573	ANILLO RETENEDOR 18X3	1	11042036
11	100100868	PIN GUIA 8X14X6.3	4	11042071
12	100203104-0004	GUIA CABLE CLUTCH	1	11042243
13	100208655	EMPAQUE CUBIERTA CLUTCH	1	11042199
14	100055591-0006	TORNILLO 6X12	1	11042227
15	100206191	GUIA CABLE PLATO BOBINAS	1	11042194
16	100208525	EMPAQUE CUBIERTA VOLANTE	1	11042197
17	100204853-0003	CUBIERTA VOLANTE	1	11042245
18	100103062-0012	TAPON CUBIERTA VOLANTE	1	11042235
19	100107733	ANILLO RETENEDOR 27.4X2.65	1	11042152
20	100103059-0012	TAPON CUBIERTA VOLANTE	1	11042234
21	100138362	ANILLO RETENEDOR 13.2X2.65	1	11042159
22	100011539-0001	TORNILLO 6X45	2	11042221
23	100202488-0022	CUBIERTA CADENA	1	11042242
24	100011537-0002	TORNILLO 6X35	8	11042219

Exploded view diagram of a gearbox assembly. The main assembly includes a housing (1), input shaft (2), input gear (3), intermediate gear (4), output gear (5), output shaft (6), and output flange (7). A separate inset shows two gears (8 and 9) labeled 14.

5

FIGURA N° 5: BOMBA ACEITE - FILTRO CENTRIFUGO ACEITE




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	100053714	FILTRO CENTRIFUGO ACEITE	1	11042045
2	100072890	CONDUCTO FILTRO CENTRIFUGO ACEITE	1	11042053
3	100010978-0001	TORNILLO 5X12	3	11042209
4	100104844	RESORTE FILTRO CENTRIFUGO ACEITE	1	11042126
5	100104848	TAPA CAMPANA FILTRO CENTRIFUGO ACEITE	1	11042127
6	100104850	PIN DE SEGURIDAD	1	11042128
7	100208725	EMPAQUE FILTRO CENTRIFUGO ACEITE	1	11042200
8	100100514	TUERCA M14	1	11042065
9	100103344	ARANDELA	1	11042092
10	100053715	CAMPANA FILTRO CENTIFUGO ACEITE	1	11042046
11	100103496	PINON PRIMARIO	1	11042096
12	100100868	PIN GUIA 8X14X6.3	2	11042071
13	100010945-0002	TORNILLO 4X8	1	11042208
14	100204512	PLATINA CUERPO BOMBA ACEITE	1	11042191
15	100100190	ROTOR INTERNO BOMBA ACEITE	1	11042060
16	100100200	ROTOR EXTERNO BOMBA ACEITE	1	11042061
17	100204555	CUERPO BOMBA ACEITE	1	11042192
18	100032890	PIN PASADOR 2.5X10	1	11042037
19	100032894	PIN PASADOR 4X24	1	11042038
20	100204492	EJE INTERNO BOMBA ACEITE	1	11042190
21	100100134	PINON BOMBA ACEITE	1	11042059
22	100011111	PIN DE SEGURIDAD	1	11042035
23	100100056	BOMBA ACEITE COMPLETA	1	11042058
24	100011537-0002	TORNILLO 6X35	2	11042219

This diagram shows an exploded view of a mechanical assembly, likely a pump or engine component. The main assembly is shown in the center, with various parts numbered 1 through 28. The parts are arranged in a way that shows their relative positions and how they fit together. The assembly includes a main housing (10), a central shaft (3), and various seals and bearings (1, 2, 4, 5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28). The diagram is a technical drawing with clear lines and numbers.

7

This diagram shows an exploded view of a mechanical assembly, likely a pump or engine component. The main assembly is shown on the left, with various parts numbered. A separate component, possibly a cover or a different view of the same assembly, is shown on the right. The parts are numbered as follows:

- 1: Bolt
- 2: Washer
- 3: Pin
- 4: Pin
- 5: Pin
- 6: Bolt
- 7: Filter
- 8: Washer
- 9: Pin
- 10: Bolt
- 11: Pin
- 12: Washer
- 13: Bolt
- 14: Washer
- 15: Washer
- 16: Washer
- 17: Washer
- 18: Washer
- 19: Bolt
- 20: Bolt
- 21: Bolt
- 22: Bolt
- 23: Bolt
- 24: Bolt
- 25: Bolt
- 26: Bolt
- 27: Bolt
- 28: Pin
- 29: Bolt

8

19

9

FIGURA N° 8: TRANSMISION (1/2)




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	100106503	ARANDELA CAJA 12.2X1X22.5	1	11042146
2	100103619	PINON 2DA EJE CLUTCH	1	11042102
3	100103623	PINON 5TA EJE CLUTCH	1	11042105
4	100103655	BUJE PINON 5TA	1	11042109
5	100103648	ARANDELA CAJA 17X1.6X23	2	11042106
6	100100595	PIN DE SEGURIDAD 15.5X1.2X19	2	11042067
7	100103620	PINON 3RA EJE CLUTCH	1	11042103
8	100103654	BUJE PINON 4TA	1	11042108
9	100103621	PINON 4TA EJE CLUTH	1	11042104
10	100148341	EJE CLUTCH (SOLO)	1	11042160
11	100106524	ARANDELA CAJA 20.1X1X27	3	11042148
12	100103567	BUJE PINON 2DA EJE SALIDA	2	11042098
13	100103729	PINON 2DA EJE SALIDA	1	11042111
14	100103733	PINON 5TA EJE SALIDA	1	11042114
15	100203605	EJE SALIDA (SOLO)	1	11042182
16	100103730	PINON 3RA EJE SALIDA	1	11042112
17	100103649	ARANDELA CAJA 20X1.6X27	1	11042107
18	100100629	PIN DE SEGURIDAD 18.5X1.2X22	1	11042068
19	100103731	PINON 4TA EJE SALIDA	1	11042113
20	100106520	ARANDELA CAJA 17.2X1.2X26	2	11042147
21	100103566	BUJE PINON 1RA	1	11042097
22	100103728	PINON 1RA EJE SALIDA	1	11042110
23	100106453	ARANDELA EJE CRANK 17.3X1.2X24	2	11042145
24	100011099	PIN DE SEGURIDAD	1	11042034
25	100106408	ARANDELA EJE CRANK 14.2X1X34	1	11042143

This diagram shows an exploded view of a mechanical assembly, likely a gearbox or transmission. The components are numbered 1 through 43. The assembly is organized into three main sections, each highlighted by a light gray rectangular background. The top section contains a shaft (41) with gears (1, 2, 3, 4, 5, 6, 7, 8, 9, 10) and a pinion (43). The middle section shows a central shaft (34) with gears (11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22) and a pinion (23). The bottom section features a shaft (40) with gears (25, 26, 27, 28, 29, 30, 31, 32, 33) and a pinion (36). A separate component (37) with a pinion (38) and a gear (39) is shown to the left. The diagram illustrates the relative positions and assembly sequence of the parts.

11

This exploded view diagram illustrates the assembly of a mechanical component, likely a pump or actuator. The parts are numbered 1 through 19. The assembly is shown in a disassembled state, with parts arranged to show their relative positions and how they fit together. Key components include a main housing (12), a shaft (9), a pin (8), a bracket (10), a lever arm (11), a spring (14), a washer (15), a nut (16), a bolt (5), a star-shaped cover (6), a motor unit (7), a small pin (17), a small washer (19), a small bracket (13), a small lever (18), a small spring (4), a small pin (3), a small washer (2), and a small bolt (1).

12

13

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: Two small cylindrical components, possibly sensors or actuators, with electrical connectors.
- 2**: A main cylindrical body or housing.
- 3**: A long, thin cylindrical shaft or pin.
- 4**: A small circular washer or spacer.
- 5**: A medium-sized gear.
- 6**: A small gear or pinion.
- 7**: A large gear.

The assembly is shown in a disassembled state, with the gears (5, 6, and 7) positioned below the main body (2). The shaft (3) is shown to the left of the body. The two components (1) are positioned above the body, with one connected to a cable.

14

This diagram illustrates the components of a brake master cylinder assembly. The parts are numbered as follows:

- 1**: Two mounting bolts.
- 2**: A mounting bracket or plate.
- 3**: The main master cylinder body.
- 4**: A cross member or support plate.
- 5**: A black cylindrical component, likely a dust cap or seal.
- 6**: A long, thin pin or rod.
- 7**: A curved, dark component, possibly a return spring or seal.
- 8**: The lower reservoir or cup of the master cylinder.
- 9**: A small pin or clip.
- 10**: A longer pin or rod.
- 11**: A very thin pin or needle.

15

This diagram illustrates the assembly of a vehicle chassis frame. The main frame is shown in the center, with various components numbered for identification:

- 1**: A small circular fastener or pin.
- 2**: A vertical support or shock absorber component.
- 3**: A small cylindrical component, possibly a bush or spacer.
- 4**: A small circular fastener or pin.
- 5**: A small cylindrical component, possibly a bush or spacer.
- 6**: A vertical support or shock absorber component.
- 7**: A set of horizontal bars, likely a coil spring or suspension component.
- 8**: A small circular fastener or pin.
- 9**: A small cylindrical component, possibly a bush or spacer.
- 10**: A set of horizontal bars, likely a coil spring or suspension component.
- 11**: A small circular fastener or pin.
- 12**: A large, dark, curved component, possibly a fender or wheel arch trim.
- 13**: A bracket or support component.
- 14**: A small circular fastener or pin.
- 15**: A set of small circular fasteners or pins.

16

This diagram illustrates the exploded view of a mechanical assembly, with components numbered 1 through 14. The components are as follows:

- 1:** Two long vertical bolts.
- 2:** Two medium-length vertical bolts.
- 3:** Two triangular plates with three mounting holes each.
- 4:** Two triangular plates with three mounting holes each.
- 5:** Two large circular washers.
- 6:** Four medium circular washers.
- 7:** Two small vertical bolts.
- 8:** A small triangular plate with three mounting holes.
- 9:** Two large circular washers.
- 10:** A small horizontal bolt.
- 11:** A small circular washer.
- 12:** A small circular washer.
- 13:** A long horizontal base plate with a central mounting hole.
- 14:** Two medium-length vertical bolts.

17

This diagram shows the components of a motorcycle helmet assembly. The main assembly is enclosed in a dashed box and includes:

- 1**: The main helmet shell, shown in two views (top and side).
- 2**: A small metal pin or screw.
- 3**: A small metal washer or spacer.
- 4**: A small metal bracket or clip.
- 5**: A red rectangular component, likely a chin strap or cheek pad.

18

This diagram shows the exploded view of a motorcycle fuel tank assembly. The main component is the fuel tank (4). Other parts include: 1. A bolt; 2. A washer; 3. A fuel filler cap; 5. A petcock assembly; 9. A fuel line with a dashed box indicating a section; 6. A fuel line segment; 8. A petcock valve; 10. A petcock lever; 11. A petcock bracket; and 7. Two circular gaskets or seals.

20

The diagram illustrates the components of the Outeco seat assembly. It includes a main view of the seat (1) with the 'outeco' logo, and two detailed views of the mounting hardware. View 2 shows two mounting brackets, and view 3 shows two mounting plates. The seat is shown in a perspective view, while the mounting hardware is shown in a top-down view.

21

FIGURA N° 19: SILENCIADOR




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	B166740108003071X	TORNILLO 8X40	2	11000874
2	18030-I111-0000	EMPAQUE MOFLE	1	11000748
3	18000-I853-050003	SILENCIADOR COMPLETO	1	11041813
	18000-I853-060001	SILENCIADOR COMPLETO	1	11055175
4	1804L-I853-020001	TUBO ESCAPE	1	11041817
	1804L-I853-030001	TUBO ESCAPE	1	11052893
5	18040-I853-020001	PROTECTOR TUBO ESCAPE	1	11041815
	18040-J1L6-000001	PROTECTOR TUBO ESCAPE PLASTICA	1	11052891
6	1804M-I853-C20066	SILENCIADOR (SOLO)	1	11041818
	1804M-I853-020001	SILENCIADOR	1	11052892
7	18040-I853-C00066	PROTECTOR SILENCIADOR	1	11041816
8	18040-I853-010066	PROTECTOR SILENCIADOR	1	11041814
9	B057890008002571X	TORNILLO 8X25	1	11039194
10	6222A-I853-0000	ANTIVIBRANTE	1	11022756
11	B0578900080045T1X	TORNILLO 8X45	1	11042017
12	91302-0080-32111X	ARANDELA 8 MM	1	11041991
13	B0009601080000K1X	ARANDELA 8 MM	2	11042006
14	B061870108000061X	TUERCA M8	1	11039211
15	42154-I853-0000	GUARDAPOLVO	1	11025108
16	91304-0085-12271X	BUJE 8.5X12X27	1	11041995
17	18070-0000-110014	CATALIZADOR	1	11041819
18	18043-I853-000066	EMPAQUE CENTRAL SILENCIADOR	1	11062000

This diagram illustrates the exploded view of a mechanical assembly, with components numbered 1 through 15. The components are as follows:

- 1:** A cylindrical component, likely a bush or sleeve.
- 2:** A small pin or fastener.
- 3:** A small pin or fastener.
- 4:** A long, curved component, possibly a lever or arm.
- 5:** A small rectangular component, likely a bush or sleeve.
- 6:** A long, curved component, possibly a lever or arm.
- 7:** A small rectangular component, likely a bush or sleeve.
- 8:** A small circular component, likely a bush or sleeve.
- 9:** A small circular component, likely a bush or sleeve.
- 10:** A small rectangular component, likely a bush or sleeve.
- 11:** A small rectangular component, likely a bush or sleeve.
- 12:** A long, straight component, likely a shaft or rod.
- 13:** A small rectangular component, likely a bush or sleeve.
- 14:** A small circular component, likely a bush or sleeve.
- 15:** A small rectangular component, likely a bush or sleeve.

23

This diagram illustrates the assembly of a mechanical component, likely a bracket or support. The components are numbered 1 through 17. The assembly is shown in two main sections, each with a sub-assembly of components 1 through 5. The main assembly consists of a central bracket (17) with two long, curved arms (14 and 15) and a base (16). The sub-assemblies are shown in two different configurations, one on the left and one on the right, demonstrating how the main assembly can be configured in two different ways. The components are labeled with numbers 1 through 17, with some numbers appearing in both sections of the diagram.

24

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1**: Main housing or base plate.
- 2**: Four small circular washers or spacers.
- 3**: A vertical shaft or tube.
- 4**: Two small rectangular plates or spacers.
- 5**: A small circular component, possibly a seal or washer.
- 6**: A small circular component, possibly a seal or washer.
- 7**: A small circular component, possibly a seal or washer.
- 8**: Two circular components, possibly seals or washers.
- 9**: A circular component, possibly a seal or washer.
- 10**: A circular component, possibly a seal or washer.
- 11**: Two circular components, possibly seals or washers.
- 12**: A circular component, possibly a seal or washer.
- 13**: A circular component, possibly a seal or washer.
- 14**: A small L-shaped component, possibly a pin or clip.
- 15**: A bracket or support structure.
- 16**: Two screws or bolts.
- 17**: Four screws or bolts.
- 18**: A circular component, possibly a seal or washer.
- 19**: A vertical stack of six circular components, possibly seals or washers.

25

The image contains two exploded view diagrams of mechanical assemblies, labeled 1 and 2. Both diagrams show a central shaft (3) with a spring (9) and a lever (18 or 4). The components are numbered as follows:

- Diagram 1:** 1 (assembly label), 3 (shaft), 4 (nut), 5 (nut), 6 (lever), 7 (bolt), 8 (washer), 9 (spring), 10 (washer), 11 (pin), 12 (pin), 13 (pin), 14 (washer), 15 (washer), 16 (spring), 17 (washer), 18 (lever), 19 (pin), 20 (washer), 21 (washer).
- Diagram 2:** 2 (assembly label), 3 (shaft), 4 (nut), 5 (nut), 6 (lever), 7 (bolt), 8 (washer), 9 (spring), 10 (washer), 11 (pin), 12 (pin), 13 (pin), 14 (washer), 15 (washer), 16 (spring), 17 (washer), 18 (lever), 19 (pin), 20 (washer), 21 (washer).

26

27

This diagram illustrates the exploded view of a motorcycle fender assembly. The components are numbered as follows:

- 1**: Main black fender body.
- 2**: Fender bracket.
- 3**: Upper fender support rail.
- 4**: Lower fender support rail.
- 5**: Upper fender bracket.
- 6**: Lower fender bracket.
- 7**: Upper fender mounting plate.
- 8**: Lower fender mounting plate.
- 9**: Fender tip.
- 10**: Fender hanger.
- 11**: Upper fender mounting bolts.
- 12**: Lower fender mounting bolts.
- 13**: Fender mounting bracket.

28

This diagram illustrates the components of a motorcycle master cylinder and brake line assembly. The parts are numbered as follows:

- 1: Master cylinder body
- 2: Master cylinder cap
- 3: Master cylinder reservoir
- 4: Brake line
- 5: Brake line bracket
- 6: Brake line bracket (detail view)
- 7: Master cylinder piston
- 8: Master cylinder pin
- 9: Master cylinder pin (detail view)
- 10: Brake disc
- 11: Master cylinder cable
- 12: Master cylinder pin

29

This diagram illustrates the components of a bicycle wheel assembly, numbered 1 through 16:

- 1: Tire
- 2: Tire patch
- 3: Tire patch
- 4: Axle
- 5: Axle nut
- 6: Axle nut
- 7: Axle nut
- 8: Hub nut
- 9: Hub nut
- 10: Hub nut
- 11: Hub nut
- 12: Rim
- 13: Spoke
- 14: Spoke
- 15: Hub
- 16: Spoke

30

This diagram illustrates the components of a bicycle wheel assembly, numbered 1 through 17. The parts include:

- 1**: A large, dark, circular component, likely a tire or a large wheel rim.
- 2**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 3**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 4**: A small, dark, circular component, possibly a bolt or a small wheel rim.
- 5**: A small, dark, circular component, possibly a bolt or a small wheel rim.
- 6**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 7**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 8**: A long, dark, cylindrical component, possibly a axle or a long wheel rim.
- 9**: Two small, dark, rectangular components, possibly brake pads or small wheel rims.
- 10**: A small, dark, circular component, possibly a bolt or a small wheel rim.
- 11**: A small, dark, circular component, possibly a bolt or a small wheel rim.
- 12**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 13**: A large, dark, rectangular component, possibly a brake pad or a large wheel rim.
- 14**: A large, dark, rectangular component, possibly a brake pad or a large wheel rim.
- 15**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 16**: A small, dark, rectangular component, possibly a brake pad or a small wheel rim.
- 17**: A large, dark, circular component, likely a tire or a large wheel rim.

31

This diagram illustrates the components of a drum brake assembly in an exploded view. The components are numbered as follows:

- 1:** Brake shoe assembly, including the shoe and return spring.
- 2:** The complete assembled drum brake unit.
- 3:** The brake drum, shown in a cross-sectional view.
- 4:** The brake drum's internal structure, including the two curved brake shoes and the central hub.
- 5:** A pin or bolt used for securing the brake shoe.
- 6:** A small circular component, likely a bush or spacer.
- 7:** A larger circular component, possibly a flange or a different type of bush.
- 8:** A pin or bolt used for securing the brake shoe.
- 9:** A small circular component, likely a bush or spacer.

32

33

This diagram shows an exploded view of a mechanical assembly. The components are numbered as follows:

- 1:** A long screw or bolt.
- 2:** A shorter screw or bolt.
- 3:** A small circular washer or spacer.
- 4:** A large helical spring.
- 5:** A curved metal bracket or lever.
- 6:** A small pin or clip.
- 7:** A small circular washer or spacer.
- 8:** A long, thin vertical rod or pin.
- 9:** A small circular washer or spacer.
- 10:** A pair of small circular washers or spacers.
- 11:** A large, complex metal frame or bracket, highlighted with a dashed border.
- 12:** A small circular washer or spacer.
- 13:** A small horizontal pin or clip.
- 14:** Two small cylindrical components, likely bushings or spacers.

34

FIGURA N° 31: SPROCKET - CADENA

[illegible]

This diagram illustrates the components of a motorcycle headlight assembly. The parts are numbered as follows:

- 1: Main headlight housing (upper part)
- 2: Headlight housing (lower part)
- 3: Headlight lens and reflector assembly
- 4: Headlight bulb
- 5: Top mounting bracket
- 6: Top mounting pin
- 7: Side mounting bracket
- 8: Side mounting pin
- 9: Bottom mounting bracket
- 10: Bottom mounting pin
- 11: Headlight bezel
- 12: Headlight mounting plate
- 13: Mounting pin
- 14: Headlight wiring harness
- 15: Headlight mounting screw

36

This diagram illustrates the exploded view of a motorcycle headlight assembly. The components are numbered as follows:

- 1**: The main headlight housing, shown with a lens and a mounting bracket.
- 2**: A small metal bracket or clip.
- 3**: A small metal bracket or clip, similar to part 2.
- 4**: A set of three small circular components, likely O-rings or gaskets.
- 5**: A set of three small circular components, likely O-rings or gaskets.
- 6**: A small metal bracket or clip.
- 7**: A triangular metal plate with three circular holes.
- 8**: A set of three small circular components, likely O-rings or gaskets.
- 9**: A long, black, cylindrical component, likely a lens or a protective cover.
- 10**: A long, black, cylindrical component, likely a lens or a protective cover.
- 11**: A small circular component, likely a bolt or a nut.
- 12**: A small circular component, likely a bolt or a nut.
- 13**: A set of three small circular components, likely O-rings or gaskets.

37

This diagram shows an exploded view of a mechanical assembly. The main components are two large, dark, curved parts labeled 1 and 2. These are connected to a central horizontal bar (3) via two vertical pins (4). The bar (3) is supported by two vertical pins (5). The entire assembly is secured by two large, circular, flange-like components (6) and two smaller, circular, flange-like components (7). The components are numbered 1 through 10, indicating their relative positions and assembly order.

38

39

40

An exploded view diagram of a mechanical assembly. The components are numbered as follows:

- 1**: A large, dark, curved housing or bracket.
- 2**: A red rectangular component, likely a sensor or actuator, positioned near the top of the housing.
- 3**: A dark, U-shaped component with two horizontal slots, positioned below the main housing.
- 4**: Two small, square components with circular holes, positioned to the left of the U-shaped component.
- 5**: A bracket or support structure with two circular holes, positioned below the U-shaped component.
- 6**: Two small, cylindrical components, positioned above the main housing.
- 7**: Two small, cylindrical components, positioned above the U-shaped component.
- 8**: Four small, circular components, positioned to the right of the U-shaped component.

41

This diagram shows the components of a motorcycle headlight assembly in an exploded view. The parts are numbered as follows:

- 1**: The main headlight housing, which is a large, clear plastic unit with a textured lower section.
- 2**: A wiring harness with a coiled cable and a connector.
- 3**: A single headlight bulb.
- 4**: A pair of mounting brackets or spacers.
- 5**: A pair of mounting bolts or screws.
- 6**: A black handle or grip on the left side.
- 7**: A black handle or grip on the right side.
- 8**: A metal mounting plate or bracket that connects the handles to the headlight housing.

42

FIGURA N° 39: CABLES

[illegible]

This diagram shows the components of a car stereo system. The main stereo unit is shown in the center, with various cables and connectors labeled 1 through 14. The components include:

- 1: A small electronic component, possibly a fuse or relay.
- 2: A coiled cable with a connector.
- 3: A long, thin cable.
- 4: A cable with a connector.
- 5: A rectangular component, possibly a power supply or amplifier.
- 6: A small electronic component.
- 7: A small electronic component.
- 8: A small electronic component.
- 9: A cable with a connector.
- 10: A cable with a connector.
- 11: A small electronic component.
- 12: A circular component, possibly a speaker or microphone.
- 13: A small electronic component.
- 14: A rectangular component, possibly a power supply or amplifier.

44

This diagram shows an exploded view of a rear suspension assembly. The main component is a U-shaped metal frame (1). At the top and bottom ends of the frame, there are mounting points for shock absorbers (2). Along the inner vertical section of the frame, there are four circular mounting points for spacers or washers (4) and two larger circular mounting points for bushings or spacers (5). On the left side, there are two sets of bolts (3) and two sets of nuts (6) with washers (7) for securing the assembly to a vehicle chassis.

45

This diagram illustrates the components of a car seat headrest assembly. The parts are numbered as follows:

- 1:** A black plastic bag, likely for the headrest cover.
- 2:** A small metal pin or clip.
- 3:** A set of three small circular spacers or washers.
- 4:** A black plastic bracket or support plate.
- 5:** The main black plastic headrest housing.
- 6:** A metal bolt or screw.
- 7:** A black fabric strap with white plastic end caps.
- 8:** A metal mounting bracket.

46

47

1 —————

Mobil Super
4T Ultra
20W-50 Mineral

2 —————

TRAKKU
ESTA MOTO
ESTARÁ SIEMPRE
CONECTADA A TI
www.trakku.com.co

3 —————

Mobil
Mobil Super 4T Ultra,
Lubricante Mineral
para motores 4 tiempos 20W-50.

 
 Siempre revise el nivel de aceite antes de salir a la carretera.
 Siempre revise el nivel de aceite antes de salir a la carretera.
 Siempre revise el nivel de aceite antes de salir a la carretera.
www.autotecmobility.com

4 —————

EURO3

5 —————

V

6 —————

VICTORY
HC TECH
ENGINE

• Tecnología que reduce las vibraciones y el ruido del motor.
• Mayor eficiencia en la combustión.
• Mejor desempeño en altas revoluciones.

48

FIGURA N° 45: CALCOMANIAS Y ACCESORIOS





FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	21004884	Calcomanía Logo Victory	1	
2	CAL125C002-1	Calcomanía Carenaje Superior Farola Derecha	1	Moto Negro/Blanco
	21006024		1	Moto Gris/Amarillo - Negro/Rojo
3	CAL125C003-1	Calcomanía Carenaje Superior Farola Izquierda	1	Moto Negro/Blanco
	21006023		1	Moto Gris/Amarillo - Negro/Rojo
4	CAL125C004-1	Calcomanía Guardabarro Delantero Derecha	1	Moto Negro/Blanco
	21006022		1	Moto Gris/Amarillo - Negro/Rojo
5	CAL125C005-1	Calcomanía Guardabarro Delantero Izquierda	1	Moto Negro/Blanco
	21006021		1	Moto Gris/Amarillo - Negro/Rojo
6	21006026	Calcomanía Protector Tubo Telescópico Der.	1	Moto Negro/Blanco
	CAL125C006-2		1	Moto Gris/Amarillo - Negro/Rojo
7	CAL125C007-1	Calcomanía Protector Tubo Telescópico Izq.	1	Moto Negro/Blanco
	21006019		1	Moto Gris/Amarillo - Negro/Rojo
8	CAL125C012-1	Calcomanía Enfocador Superior Derecha	1	Moto Negro/Blanco - Negro/Rojo
	CAL125C012-2		1	Moto Gris/Amarillo
9	CAL125C013-1	Calcomanía Enfocador Superior Izquierda	1	Moto Negro/Blanco - Negro/Rojo
	21006031		1	Moto Gris/Amarillo
10	CAL125C008-1	Calcomanía Enfocador Inferior Derecha	1	Moto Negro/Blanco - Negro/Rojo
	CAL125C008-2		1	Moto Gris/Amarillo
11	CAL125C009-1	Calcomanía Enfocador Inferior Izquierda	1	Moto Negro/Blanco - Negro/Rojo
	CAL125C009-2		1	Moto Gris/Amarillo
12	21005552/00	Calcomanía Tapa Lateral Derecha "EURO3"	1	
13	CAL125C010-1	Calcomanía Cubierta Sillín Derecha	1	Moto Negro/Blanco - Negro/Rojo
	21006034		1	Moto Gris/Amarillo
14	21006015	Calcomanía Cubierta Sillín Izquierda	1	Moto Negro/Blanco - Negro/Rojo
	CAL125C011-2		1	Moto Gris/Amarillo
15	21005402/00	PUFF Manubrio	1	



— 1

— 2

51

FIGURA N° 51: KITS

CODIGO DEL KIT	DESCRIPCIÓN	SAP	DESCRIPCION DESPIECE KIT	CANTIDAD
21016849	KIT CILINDRO	11042239	CILINDRO	1
		11042082	PISTON	1
		11042084	ANILLOS	1
		11042083	PASADOR PISTON	1
		11042066	PIN PISTON	2
		11042198	EMPAQUE CILINDRO	1
		11042157	EMPAQUE CULATA	1
21016885	KIT CUNAS	11041937	CUNA SUPERIOR DIRECCION	1
		11041941	CANASTILLA DIRECCION	2
		11041939	CUNA SUPERIOR DIRECCION	1
		11041940	CUNA INFERIOR DIRECCION	1
		11041938	CUNA INFERIOR DIRECCION	1
21016901	KIT DISCOS CLUTCH	11042178	DISCO DE CLUTCH	5
		11042179	SEPARADOR CLUTCH	4
21016927	KIT EMPAQUES	11042049	RETEN VALVULA	2
		11042157	EMPAQUE CULATA	1
		11042198	EMPAQUE CILINDRO	1
		11042199	EMPAQUE CARCASA CLUTCH	1
		11042197	EMPAQUE CUBIERTA VOLANTE	1
		11042196	EMPAQUE TAPA CULATA	1
		11000748	EMPAQUE TUBO MOFLE	1
21016956	KIT PISTON	11042082	PISTON	1
		11042084	ANILLOS	1
		11042083	PASADOR PISTON	1
		11042066	PIN PISTON	2
21016964	KIT VALVULAS	11042155	VALVULA ADMISION	1
		11042156	VALVULA ESCAPE	1
		11042049	RETEN VALVULA	2
21016872	KIT ARRASTRE	11042116	PIÑON EJE SALIDA	1
		11042117	ARANDELA PIÑON SALIDA	1
		11061960	CADENA	1
		11055315	SPROCKET	1

FICHA TÉCNICA VICTORY MRX 125 - 2021

CARACTERÍSTICA	UNIDAD
Motor	4 tiempos, Monocilíndrico, Refrigerado por Aire
Diámetro x Carrera	52.4 x 57.8 mm.
Indicé de Compresión	9.5: 1
Potencia Máxima	9.65 HP a 7500 RPM
Torque Máximo	9.2 NM a 6000 RPM
Bujía	NGK – CPR8EA
Arranque	Eléctrico y Pedal
Transmisión	Mecánica, 5 Velocidades
Sistema de Lubricación	Forzada, Bomba Trocoidal
Sistema de Alimentación	Carburador
Refrigeración	Aire
FRENOS	
Freno Delantero	Disco 267 mm.
Freno Trasero	Campana 130 mm.
SUSPENSION	
Suspensión Delantera	Horquilla Telescópica
Suspensión Trasera	Brazo Oscilante con Mono Amortiguador
CAPACIDAD DEL TANQUE	
Lleno	2.9 Gal. – 11 Litros
Combustible	Gasolina
LLANTAS	
Llanta Delantera	90/90-19
Llanta Trasera	110/90-17
Rines	Radios
SISTEMA ELECTRICO	
Sistema de Ignición	C.D.I.
Bombillo Farola	12V - 35/35W
Luz de Stop	12V - 21/5W
Luces Direccionales	LED
Pito	12V
Batería	12V - 7AH
DIMENSIONES	
Largo x Ancho x Alto	2060 mm x 830 mm x 1160 mm
Distancia Entre Ejes	1340 mm.
Altura al Piso	240 mm.
Peso en Seco	113 Kg.



