



CATÁLOGO DE PARTES



 VICTORY

MRX


150



SISTEMA DE ENCENDIDO AUTOMÁTICO DE LUCES
Para mayor información del sistema consulte la página web: www.autecomobility.com



SISTEMA ANTIBLOQUEO DE FRENOS NO INCLUIDO



LUCES DE CIRCULACIÓN DIURNA NO INCLUIDO
Para mayor información del sistema consulte la página web: www.autecomobility.com

Mobil Super
4T Ultra



www.autecomobility.com | contactanos@autecomobility.com
Línea gratuita nacional 018000 413 812



PREFACIO

Es nuestro placer presentarles a ustedes el Catálogo de Partes.

Este Catálogo ha sido especialmente diseñado para ayudarle en la selección de las partes correctas con el fin de mantener el vehículo en las mejores condiciones.

Los repuestos originales están sujetos a un exigente estándar de control de calidad, por lo tanto es necesario que usted sólo use repuestos originales.

En nuestro constante esfuerzo para mejorar la eficiencia y desempeño de su vehículo, las especificaciones, diagramas y número de partes pueden cambiar sin previo aviso. Consecuentemente las descripciones de los repuestos en este Catálogo pueden no ser las finales y definitivas.

Las alteraciones y modificaciones que ocurren en la impresión de este Catálogo, serán informadas a nuestra red, a través de circulares de Servicio o en nuestra página web: www.autecomobility.com accediendo al link repuestos. Es requisito que usted actualice su Catálogo y haga las correcciones necesarias, una vez reciba dichas circulares. Lo anterior le asegurará un rápido y adecuado despacho de sus partes, pues las órdenes están siendo diligenciadas con las referencias más actualizadas.

En caso de necesitar asistencia técnica, comunicarse con el Distribuidor Autorizado o llamar al Departamento de Servicios Auteco Mobility.

REVISADO DICIEMBRE 2024



**TECNOLOGÍA
SINTÉTICA
¡A TU ALCANCE!**

Mobil Super[®]
4T Ultimate

auteco[®]



**¡POR DESEMPEÑO,
CALIDAD Y PRECIO!**

ELIGE LLANTAS QUEEN

SCOOTER

MOTOCARRO

STREET

DOBLE
PROPÓSITO

PISTERA



Encuétralos en todos los agentes y concesionarios autorizados por AUTECO del país



MEGA**BAT**
BATTERIES



EL EQUIPO ORIGINAL
DE LAS MOTOCICLETAS


auteco
mobility















*Una garantía de respaldo,
calidad y experiencia.*

INDICE

FIG. Nº	DESCRIPCIÓN	PAG. Nº
FIG. Nº 1	CULATA - CILINDRO	1
FIG. Nº 2	EJE LEVAS - VALVULAS	(2- 3)
FIG. Nº 3	CUBIERTA CLUTCH - CUBIERTA VOLANTE	4
FIG. Nº 4	CLUTCH	5
FIG. Nº 5	BOMBA ACEITE - FILTRO CENTRIFUGO ACEITE	6
FIG. Nº 6	CARCASAS	(7 - 8)
FIG. Nº 7	CIGÜEÑAL - BALANCEADOR - PISTON	9
FIG. Nº 8	TRANSMISION	(10 - 11)
FIG. Nº 9	EJE CAMBIOS - EJE SELECTOR CAMBIOS	12
FIG. Nº 10	VOLANTE - PLATO BOBINAS	13
FIG. Nº 11	MOTOR DE ARRANQUE	14
FIG. Nº 12	FAROLA	15
FIG. Nº 13	VELOCIMETRO	16
FIG. Nº 14	DIRECCIONALES	17
FIG. Nº 15	SWICHE DE ENCENDIDO	18
FIG. Nº 16	CABLES	19
FIG. Nº 17	MANUBRIO - ESPEJOS	20
FIG. Nº 18	TANQUE GASOLINA	21
FIG. Nº 19	SILLIN	22
FIG. Nº 20	SISTEMA ELECTRICO	23
FIG. Nº 21	CAJA HERRAMIENTAS	24
FIG. Nº 22	GUARDABARRO TRASERO	25
FIG. Nº 23	STOP	26
FIG. Nº 24	CAJA FILTRO AIRE	27
FIG. Nº 25	CARBURADOR	28
FIG. Nº 26	SILENCIADOR	29
FIG. Nº 27	PEDAL CAMBIOS - PEDAL FRENO - PEDAL CRANK	30

FIG. Nº	DESCRIPCIÓN	PAG. Nº
FIG. Nº 28	REPOSAPIE CONDUCTOR - REPOSAPIE PASAJERO	31
FIG. Nº 29	ESPIGA CENTRAL - CABEZA ESPIGA	32
FIG. Nº 30	SUSPENSION DELANTERA	(33 - 34)
FIG. Nº 31	GUARDABARRO DELANTERO	35
FIG. Nº 32	BOMBA FRENO DELANTERO	36
FIG. Nº 33	BOMBA FRENO TRASERO	37
FIG. Nº 34	RUEDA DELANTERA	38
FIG. Nº 35	RUEDA TRASERA	39
FIG. Nº 36	BRAZO OSCILANTE - MONOSHOCK	40
FIG. Nº 37	SPROCKET - CADENA	41
FIG. Nº 38	ENFOCADORES	42
FIG. Nº 39	CUBIERTA SILLIN	43
FIG. Nº 40	CUBIERTA STOP	44
FIG. Nº 41	AGARRADERA PASAJERO	45
FIG. Nº 42	COMPLEMENTOS CHASIS - GATO LATERAL	46
FIG. Nº 43	SOPORTE MOTOR	47
FIG. Nº 44	LUZ PLACA	48
FIG. Nº 45	VALVULA DE AIRE	49
FIG. Nº 46	CARGADOR USB	50
FIG. Nº 47	PROTECTOR MOTOR	51
FIG. Nº 48	CALCOMANÍAS MRX 150 CAMO	52
FIG. Nº 49	CALCOMANIAS MRX 150 ROJO ESCARLATA	53
FIG. Nº 50	CALCOMANIAS MRX 150 ROJO AZUL ANTARTICA	54
FIG. Nº 51	CALCOMANÍAS	55
FIG. Nº 52	KITS	56

 气缸头部件//气缸体部件 CYLINDER HEAD ASSY/CYLINDER ASSEMBLY	FIG. Nº 1 CULATA - CILINDRO PAG. Nº 1	
 配气机构 VALVE MECHANISM	FIG. Nº 2 EJE LEVAS - VALVULAS PAG. Nº (2- 3)	
 曲轴箱盖 CRANKCASE COVER	FIG. Nº 3 CUBIERTA CLUTCH - CUBIERTA VOLANTE PAG. Nº 4	
 离合器总成 CLUTCH ASSY	FIG. Nº 4 CLUTCH PAG. Nº 5	
 机油泵部件/机油滤清器部件 OIL PUMP/OIL FILTER	FIG. Nº 5 BOMBA ACEITE - FILTRO CENTRIFUGO ACEITE PAG. Nº 6	
 曲轴箱 CRANKCASE	FIG. Nº 6 CARCASAS PAG. Nº (7 - 8)	

 曲轴连杆部件 / 活塞 CRANKSHAFT CONNECTING-ROD ASSY/PISTON	 传动机构 TRANSMISSION MECHANISM		 变速机构 GEARSHIFT MECHANISM		
FIG. N° 7 CIGÜEÑAL - BALANCEADOR - PISTON	PAG. N° 9	FIG. N° 8 TRANSMISION	PAG. N° (10 - 11)	FIG. N° 9 EJE CAMBIOS - EJE SELECTOR CAMBIOS	PAG. N° 12
 磁电机总成 MAGNETO COMP	 电启动机构 ELECTRIC STARTING MECHANISM		 FIG. N° 12 FAROLA		
FIG. N° 10 VOLANTE - PLATO BOBINAS	PAG. N° 13	FIG. N° 11 MOTOR DE ARRANQUE	PAG. N° 14	FIG. N° 12 FAROLA	PAG. N° 15














								
FIG. N° 13 VELOCIMETRO		PAG. N° 16	FIG. N° 14 DIRECCIONALES		PAG. N° 17	FIG. N° 15 SWICHE DE ENCENDIDO		PAG. N° 18
								
FIG. N° 16 CABLES		PAG. N° 19	FIG. N° 17 MANUBRIO - ESPEJOS		PAG. N° 20	FIG. N° 18 TANQUE GASOLINA		PAG. N° 21

	
FIG. N° 19 SILLIN	PAG. N° 22
	
FIG. N° 20 SISTEMA ELECTRICO	PAG. N° 23
	
FIG. N° 21 CAJA HERRAMIENTAS	PAG. N° 24
	
FIG. N° 22 GUARDABARRO TRASERO	PAG. N° 25
	
FIG. N° 23 STOP	PAG. N° 26
	
FIG. N° 24 CAJA FILTRO AIRE	PAG. N° 27

		
FIG. N° 25 CARBURADOR	FIG. N° 26 SILENCIADOR	FIG. N° 27 PEDAL CAMBIOS - PEDAL FRENO - PEDAL CRANK
PAG. N° 28	PAG. N° 29	PAG. N° 30
		
FIG. N° 28 REPOSAPIE CONDUCTOR - REPOSAPIE PASAJERO	FIG. N° 29 ESPIGA CENTRAL - CABEZA ESPIGA	FIG. N° 30 SUSPENSION DELANTERA
PAG. N° 31	PAG. N° 32	PAG. N° (33 - 34)




FIG. N° 31 GUARDABARRO DELANTERO

PAG. N° 35




FIG. N° 32 BOMBA FRENO DELANTERO

PAG. N° 36




FIG. N° 33 BOMBA FRENO TRASERO

PAG. N° 37




FIG. N° 34 RUEDA DELANTERA

PAG. N° 38




FIG. N° 35 RUEDA TRASERA

PAG. N° 39



FIG. N° 36 BRAZO OSCILANTE - MONOSHOCK

PAG. N° 40




FIG. N° 37 SPROCKET - CADENA

PAG. N° 41




FIG. N° 38 ENFOCADORES

PAG. N° 42




FIG. N° 39 CUBIERTA SILLIN

PAG. N° 43




FIG. N° 40 CUBIERTA STOP

PAG. N° 44




FIG. N° 41 AGARRADERA PASAJERO

PAG. N° 45




FIG. N° 42 COMPLEMENTOS CHASIS - GATO LATERAL

PAG. N° 46




FIG. N° 43 SOPORTE MOTOR

PAG. N° 47




FIG. N° 44 LUZ PLACA

PAG. N° 48




FIG. N° 45 VALVULA DE AIRE

PAG. N° 49



FIG. N° 46 CARGADOR USB

PAG. N° 50



FIG. N° 47 PROTECTOR MOTOR

PAG. N° 51



FIG. N° 48 CALCOMANÍAS MRX 150 CAMO

PAG. N° 52




											
FIG. N° 49 CALCOMANIAS MRX 150 ROJO ESCARLATA		PAG. N° 53		FIG. N° 50 CALCOMANIAS MRX 150 ROJO AZUL ANTARTICA		PAG. N° 54		FIG. N° 51 CALCOMANIAS		PAG. N° 55	

FIGURA N° 1: CULATA - CILINDRO




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP	IMAGEN
1	100011261-0004	TORNILLO 6X12	1	11042029	
2	100106538	ARANDELA 6 MM	1	11042149	
3	100100407-0004	TORNILLO TAPA CULATA	2	11042229	
4	100208911	SELLO TORNILLO TAPA CULATA	2	11042203	Ver imagen
5	100102852-0003	TAPA CULATA	1	11042233	
6	100208447	EMPAQUE TAPA CULATA 11000760	1	11042196	Ver imagen
7	100102726	PIN GUIA 9X13	1	11042086	
8	100104517	ANILLO RETENEDOR	1	11042121	
9	CPR8EA-9	BUJIA NGK CPR8EA-9	1	21005691	Ver imagen
9A	100104154	BUJIA CHAMPION RG4HC	1	11010519	
10	100104432-0003	CULATA (SOLA)	1	11042248	
11	100208866	EMPAQUE CULATA	1	11042249	Ver imagen
12	100010556	PIN GUIA 10X12	2	11042030	
13	100207541-0002	CILINDRO	1	11042250	
14	100102822	CAUCHO PROTECTOR CILINDRO	2	11042087	
15	100208590	EMPAQUE CILINDRO	1	11042198	Ver imagen
16	100011285-0001	TORNILLO 6X105	2	11042217	
17	100107753	ANILLO RETENEDOR 30X2.5	1	11042153	
18	100057104	ANILLO RETENEDOR 25X2.4	1	11042048	
19	100208765	BAQUELA MULTIPLE ADMISION	1	11042202	
20	100105492-0002	CONDUCTO DESFOGUE TAPA CULATA	1	11042238	
21	100011264-0003	TORNILLO 6X16	1	11042213	
22	100066615	ANILLO RETENEDOR 10X2.3	1	11042050	
23	21016793	KIT CILINDRO	1	21016793	
24	21016930	KIT EMPAQUES	1	21016930	

FIGURA N° 3: CUBIERTA CLUTCH - CUBIERTA VOLANTE




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP	IMAGEN
1	100011536-0002	TORNILLO 6X30	3	11042218	
2	100011538-0003	TORNILLO 6X40	8	11042220	
3	100104735	RETEN 16X28X7	1	11041609	
4	100203168-0004	EJE INTERNO CUBIERTA CLUTCH	1	11042244	
5	100066854	RETEN 12X18X5	1	11042253	
6	100103443	RESORTE EJE INTERNO CUBIERTA CLUTCH	1	11042095	
7	100100636-0001	PIN DE SEGURIDAD	1	11042232	
8	100206203-0203	CUBIERTA CLUTCH	1	11042247	
9	100104883	TAPON NIVEL ACEITE	1	11042129	
10	100031573	ANILLO RETENEDOR 18X3	1	11042036	
11	100100868	PIN GUIA 8X14X6.3	4	11042071	
12	100203104-0004	GUIA CABLE CLUTCH	1	11042243	
13	100208655	EMPAQUE CUBIERTA CLUTCH	1	11042199	Ver imagen
14	100055591-0006	TORNILLO 6X12	1	11042227	
15	100206191	GUIA CABLE PLATO BOBINAS	1	11042194	
16	100208525	EMPAQUE CUBIERTA VOLANTE	1	11042197	Ver imagen
17	100204853-0003	CUBIERTA VOLANTE	1	11042245	
18	100103062-0012	TAPON CUBIERTA VOLANTE	1	11042235	Ver imagen
19	100107733	ANILLO RETENEDOR 27.4X2.65	1	11042152	
20	100103059-0012	TAPON CUBIERTA VOLANTE	1	11042234	
21	100138362	ANILLO RETENEDOR 13.2X2.65	1	11042159	
22	100011539-0001	TORNILLO 6X45	2	11042221	
23	100011536-0002	TORNILLO 6X30	2	11042218	
24	100011537-0002	TORNILLO 6X35	8	11042219	
25	100202488-0022	CUBIERTA CADENA	1	11042242	

This diagram illustrates the exploded view of a mechanical assembly, likely a gearbox or a similar power transmission component. The parts are numbered 1 through 13. The assembly consists of a housing (1) with a cover (2) and a bearing (4). Inside, there is a shaft (3) with a pin (5) and a spring (6). The shaft is supported by bearings (7, 8, 9, 10, 11) and carries a series of gears (12, 13). The gears are mounted on shafts and are in mesh with each other. The housing (1) has a flange (10) and a bearing (11) at the output end. The output gear (12) is mounted on a shaft (13) and has a flange (10) and a bearing (11) at the input end. The housing (1) has a flange (10) and a bearing (11) at the input end. The housing (1) has a flange (10) and a bearing (11) at the input end.

5

FIGURA N° 5: BOMBA ACEITE - FILTRO CENTRIFUGO ACEITE




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP	IMAGEN
1	100053714	FILTRO CENTRIFUGO ACEITE 11006633	1	11042045	
2	100072890	CONDUCTO FILTRO CENTRIFUGO ACEITE	1	11042053	
3	100010978-0001	TORNILLO 5X12	3	11042209	
4	100104844	RESORTE FILTRO CENTRIFUGO ACEITE	1	11042126	
5	100104848	TAPA CAMPANA FILTRO CENTRIFUGO ACEITE	1	11042127	
6	100104850	PIN DE SEGURIDAD	1	11042128	
7	100208725	EMPAQUE FILTRO CENTRIFUGO ACEITE	1	11042200	Ver imagen
8	100100514	TUERCA M14	1	11042065	
9	100103344	ARANDELA	1	11042092	
10	100053715	CAMPANA FILTRO CENTIFUGO ACEITE	1	11042046	
11	100103496	PINON PRIMARIO	1	11042096	
12	100100868	PIN GUIA 8X14X6.3	2	11042071	
13	100010945-0002	TORNILLO 4X8	1	11042208	
14	100204512	PLATINA CUERPO BOMBA ACEITE	1	11042191	
15	100100190	ROTOR INTERNO BOMBA ACEITE	1	11042060	
16	100100200	ROTOR EXTERNO BOMBA ACEITE	1	11042061	
17	100204555	CUERPO BOMBA ACEITE	1	11042192	
18	100032890	PIN PASADOR 2.5X10	1	11042037	
19	100032894	PIN PASADOR 4X24	1	11042038	
20	100204492	EJE INTERNO BOMBA ACEITE	1	11042190	
21	100100134	PINON BOMBA ACEITE	1	11042059	
22	100011111	PIN DE SEGURIDAD	1	11042035	
23	100100056	BOMBA ACEITE COMPLETA	1	11042058	
24	100011537-0002	TORNILLO 6X35	2	11042219	

7

[illegible]

FIGURA N° 7: CIGÜEÑAL - BALANCEADOR - PISTON




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	100057932	ANILLO STD # 1	1	11042601
2	100057931	ANILLO STD # 2	1	11042602
3	100057930	ANILLO ACEITE STD	1	11042603
4	100304485	ANILLOS STD	1	11042256
5	100100584	SET PIN PISTON X 2 UNIDADES	1	11042257
6	100101527	PASADOR PISTON	1	11042258
7	100057933	PISTON STD	1	11017629
8	100206916-0001	CIGUENAL	1	11042260
9	100103572	BUJE CIGUENAL	1	11042100
10	100101138	RODAMIENTO BOLAS CIGUENAL	1	11042078
11	100100643	CUNA CIGUENAL	2	11042070
12	100136329	CIGUENAL (SOLO)	1	11042261
13	100100640	CUNA BALANCEADOR	1	11042069
14	100091808	PINON BALANCEADOR	1	11042057
15	100091807	PINON BALANCEADOR	1	11042056
16	100085749	SET PINONES BALANCEADOR	1	11042055
17	100103569	BUJE EJE BALANCEADOR	1	11042099
18	100207225	EJE BALANCEADOR	1	11042262
19	100100545-0001	TUERCA 14X1.25X11	2	11042231
20	100106364	ARANDELA 14.5X2.8X29	3	11042141
21	100053886	TUERCA 14X1X9	1	11042047
22	21016959	KIT PISTON	1	21016959

This technical drawing shows an exploded view of a transmission mechanism. The components are arranged in a linear fashion, showing the assembly sequence. Key parts include:

- Input Shaft Assembly (Top Right):** Consists of a shaft (42) with a gear (9) and a coupling (10). It is secured with a nut (41) and a washer (40).
- Intermediate Shafts (Middle):** A series of shafts (15, 16, 17, 18, 19, 20) connected by gears (11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22). These are held together by bearings (11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22) and spacers (15, 16, 17, 18, 19, 20).
- Output Shaft Assembly (Bottom Right):** Consists of a shaft (30) with a gear (31) and a coupling (32). It is secured with a nut (33) and a washer (34).
- Input Gear Assembly (Top Left):** Consists of a gear (38) and a coupling (39).
- Output Gear Assembly (Bottom Left):** Consists of a gear (35) and a coupling (36).

The diagram is labeled with the following text:

传动机构
TRANSMISSION MECHANISM

10

FIGURA N° 8: TRANSMISION 2/2




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
21	100103566	BUJE PINON 1RA	1	11042097
22	100103728	PINON 1RA EJE SALIDA	1	11042110
23	100201878	EJE CRANK COMPLETO	1	11042168
24	100011099	PIN DE SEGURIDAD	1	11042034
25	100106408	ARANDELA EJE CRANK 14.2X1X34	1	11042143
26	100105786	RESORTE EJE CRANK	1	11042140
28	100106433	ARANDELA EJE CRANK 16.3X1X22	2	11042144
29	100105776	PINON EJE CRANK	1	11042139
30	100011098	PIN DE SEGURIDAD	1	11042033
31	100201916	EJE CRANK (SOLO)	1	11042169
32	100105731	BUJE EJE CRANK	1	11042137
33	100105747	RESORTE EJE CRANK 11023034	1	11042138
34	100106453	ARANDELA EJE CRANK 17.3X1.2X24	2	11042145
35	100103781	PINON EJE CRANK	1	11042115
36	100201921	BUJE EJE CRANK	1	11042170
37	100103820	PINON SALIDA 15T (PASO 428)	1	11042263
38	100103850	PLATINA PINON SALIDA	1	11042117
39	100031911-0004	TORNILLO 6X10	2	11042222
40	100106364	ARANDELA 14.5X2.8X29	1	11042141
41	100053886	TUERCA 14X1X9	1	11042047
42	100103578	EJE CLUTCH COMPLETO	1	11042101
43	100203549	EJE SALIDA COMPLETO	1	11042181
44	100203330	CONJUNTO DE TRANSMISION COMPLETO	1	11042604

FIGURA N° 9: EJE CAMBIOS - EJE SELECTOR CAMBIOS





FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP
1	100100389	TORNILLO	1	11042063
2	100106373	ARANDELA 6.2X1X14	1	11042142
3	100203962	LEVA EJE SELECTOR CAMBIOS	1	11042189
4	100103986	RESORTE LEVA EJE SELECTOR CAMBIOS	1	11042119
5	100011174-0004	TORNILLO 6X20	1	11042212
6	100053426	ARANDELA EJE SELECTOR CAMBIOS	1	11042044
7	100203796	EJE SELECTOR CAMBIOS	1	11042187
8	100203759	EJE HORQUILLA CAMBIOS	1	11042185
9	100203761	EJE HORQUILLA CAMBIOS	1	11042186
10	100203750	HORQUILLA CAMBIOS 11000919	1	11042184
11	100203722	HORQUILLA CAMBIOS	2	11042183
12	100203888	EJE CAMBIOS	1	11042188
13	100203916	EJE CAMBIOS (SOLO)	1	11042605
14	100103972	RESORTE EJE CAMBIOS	1	11042118
15	100300796	ARANDELA 14X1X21	1	11042204
16	100011096	PIN DE SEGURIDAD	1	11042032
17	100100887	PIN EJE SELECTOR CAMBIOS	2	11042072
18	100120663	UNION SWICHE NEUTRA	1	11042158
19	100104500-0002	SWICHE NEUTRA	1	11042237
20	100011268-0003	TORNILLO 6X25	2	11042214
21	100100887	PIN EJE SELECTOR CAMBIOS	2	11042072

FIGURA N° 10: VOLANTE - PLATO BOBINAS



磁电机总成 MAGNETO COMP

[illegible]

This diagram illustrates the components of a motorcycle headlight assembly, numbered 1 through 10:

- 1**: Main headlight housing (chrome-plated).
- 2**: Black plastic headlight bezel or trim piece.
- 3**: Clear headlight lens.
- 4**: Two screws used for mounting.
- 5**: Two screws used for mounting.
- 6**: Two small circular fasteners or spacers.
- 7**: A bracket or support structure.
- 8**: Two small circular fasteners or spacers.
- 9**: Two small circular fasteners or spacers.
- 10**: A black metal mounting bracket with two mounting holes.

15

16

[illegible]

Diagram illustrating the components of a fuel pump assembly, numbered 1 through 5:

- 1: Fuel pump body (main housing).
- 2: Fuel pump inlet/outlet ports (flanges).
- 3: Fuel pump mounting bracket.
- 4: Fuel pump mounting bolts (four).
- 5: Fuel pump mounting nuts (four).

The diagram shows the fuel pump body (1) with the inlet/outlet ports (2) and the mounting bracket (3). The mounting bolts (4) and nuts (5) are shown separately, indicating they are used to secure the pump body to the mounting bracket.

[illegible]

The diagram shows two types of cables, labeled 1 and 2, which are used for connecting a vehicle's diagnostic port to a diagnostic tool. Cable 1 has a black plastic connector and a braided shield. Cable 2 has a metal connector and a braided shield.

[illegible]

This diagram illustrates the components of a motorcycle handlebar assembly, numbered 1 through 12:

- 1: Left side mirror
- 2: Main handlebar
- 3: Right side mirror
- 4: Left handlebar grip
- 5: Left handlebar switch assembly
- 6: Top handlebar pad
- 7: Left handlebar lever (brake/clutch)
- 8: Right handlebar grip
- 9: Right handlebar switch assembly
- 10: Right handlebar pad
- 11: Mounting bracket
- 12: Mounting bolt

[illegible]

This diagram illustrates the components of a car headlight assembly. The main assembly is shown on the left, with various parts numbered for identification. The parts are as follows:

- 1:** A small screw or bolt.
- 2:** A circular gasket or washer.
- 3:** A rectangular mounting bracket.
- 4:** The main headlight housing.
- 5:** A small electrical connector or plug.
- 6:** A long, thin, curved component, likely a reflector or lens element.
- 7:** Two circular lenses or covers.
- 8:** A small electrical component, possibly a relay or switch.
- 9:** Two small circular components, likely screws or bolts.
- 10:** A set of four small circular components, likely screws or bolts.
- 11:** Two small, dark, conical components, likely seals or gaskets.
- 12:** A square electrical component, likely a relay or switch.
- 13:** A long, thin, curved component, likely a reflector or lens element.
- 14:** A long, thin, straight component, likely a reflector or lens element.

[illegible]

Diagram illustrating the components of a motorcycle seat assembly:

- 1: Main seat cushion.
- 2: Four screws used for mounting.
- 3: Two washers used for mounting.
- 4: Left side mounting bracket.
- 5: Right side mounting bracket.

[illegible]

1

2

3

4

5

6

7

8

9

10

11

12

1

23

This diagram illustrates the components of a motorcycle handlebar assembly, numbered 1 through 12:

- 1:** A small rectangular rubber pad or grip.
- 2:** The main handlebar assembly, including the grips and the central mounting bracket.
- 3:** A mounting bracket or plate with two vertical slots.
- 4:** Four small rectangular spacers or washers.
- 5:** Two small circular spacers or washers.
- 6:** Four small circular spacers or washers.
- 7:** Four small cylindrical spacers or washers.
- 8:** Two small cylindrical spacers or washers.
- 9:** Five small circular spacers or washers.
- 10:** Four small circular spacers or washers.
- 11:** A secondary mounting bracket or plate with two vertical slots.
- 12:** Four small rectangular spacers or washers.

25

A detailed diagram of a fog light assembly. The main component is a rectangular fog light housing with a black, ribbed lens. A black cable with a connector is attached to the top. To the right of the housing, there are three screws labeled '3' and three smaller screws labeled '4'. Below the housing, there is a small, round, clear bulb labeled '2'. A line labeled '1' points to the top of the housing.

[illegible]

This diagram shows the components of a motorcycle engine cover assembly. The parts are labeled with numbers in boxes:

- 1**: Points to the main engine cover, which is a large, dark-colored plastic component with a textured inner surface and a mounting bracket on the right side.
- 2**: Points to a small, green, rectangular component, likely a sensor or a small cover, located at the bottom right.
- 3**: Points to a red, rectangular component with a yellow, textured surface, likely a filter or a protective plate, located in the center.

Other components shown include a black plastic frame (top left), a black plastic cover with a central opening (bottom left), and a black plastic cover with a central opening (bottom right). Various screws and bolts are shown around the components, indicating their assembly points.

27

This diagram illustrates the components of a brake master cylinder assembly. The parts are numbered as follows:

- 1**: Two mounting bolts.
- 2**: A square mounting bracket with a central circular opening.
- 3**: The master cylinder body, shown in an exploded view relative to the bracket (2) and reservoir (8).
- 4**: Two small mounting nuts.
- 5**: A black cylindrical component, likely a seal or O-ring.
- 6**: A long, thin pin or needle.
- 7**: A curved, black component, possibly a return spring or lever arm.
- 8**: The master cylinder reservoir.
- 9**: A small pin or clip.
- 10**: A long, thin pin or needle.
- 11**: A long, thin pin or needle.

28

Exploded view diagram of a vehicle's front suspension and steering components, labeled 1 through 20. The diagram shows the main frame (17), control arms (16), steering knuckle (7), and various bolts, nuts, and washers (1-6, 8-15, 18-20).

29

This diagram illustrates the assembly of a motorcycle rear wheel. The components are numbered as follows:

- 1**: Rear wheel rim
- 2**: Rear wheel hub
- 3**: Rear wheel axle
- 4**: Rear wheel disc
- 5**: Rear wheel nut
- 6**: Rear wheel cap
- 7**: Rear wheel disc nut
- 8**: Rear wheel disc lock
- 9**: Rear wheel disc lock nut
- 10**: Rear wheel disc lock washer
- 11**: Rear wheel disc lock pin
- 12**: Rear wheel disc lock pin
- 13**: Rear wheel disc lock pin
- 14**: Rear wheel disc lock pin
- 15**: Rear wheel disc lock pin
- 16**: Rear wheel disc lock pin
- 17**: Rear wheel disc lock pin
- 18**: Rear wheel disc lock pin
- 19**: Rear wheel disc lock pin
- 20**: Rear wheel disc lock pin
- 21**: Rear wheel disc lock pin
- 22**: Rear wheel disc lock pin
- 23**: Rear wheel disc lock pin
- 24**: Rear wheel disc lock pin

31

FIGURA N° 30: SUSPENSION DELANTERA (1/2)




FIG. No.	PARTE N°	DESCRIPCIÓN	CANT.	SAP	IMAGEN
1	34100-I853-010071	TELESCOPIO COMPLETO IZQUIERDO	1	11083246	
2	34200-I853-010071	TELESCOPIO COMPLETO DERECHO	1	11083247	
3	85105-I853-C000	ABRAZADERA	1	11024790	
4	B061700005000061X	TUERCA M5	1	11035506	
5	91304-0060-10041X	BUJE	1	11042347	
6	B008180005003021X	TORNILLO M5X30	1	11081647	
7	34120-I853-01000G	TAPON TUBO TELESCOPICO	2	11001133	
8	90101-00350000265	O_RING TUBO TELESCOPICO	2	11020672	
9	34102-I853-0100	RESORTE TUBO TELESCOPICO	2	11023901	
10	34103-I853-0100	O_RING TUBO TELESCOPICO	2	11021121	
11	34112-I853-0100	CILINDRO TUBO TELESCOPICO	2	11004939	
12	34123-I853-0100	RESORTE CILINDRO INT. TUBO TElesc.	2	11022087	
13	34135-I853-0100	BUJE TUBO TELESCOPICO	2	11022115	
14	B008180004001420H	TORNILLO 4X14	2	11006065	
15	34122-I853-0100	ABRAZADERA	2	11025587	
16	34105-I853-0100	GUARDAPOLVO TUBO TELESCOPICO	2	11025115	
17	34106-I853-0100	GUARDAPOLVO TUBO TELESCÓPICO	2	11022762	Ver imagen
18	34108-I853-010066	CAMISA TUBO TELESCOPICO IZQ	1	11004836	
19	34144-I853-0100	BUJE TUBO TELESCOPICO	2	11022141	
20	34127-I853-0100	PIN	2	11025501	

34

Diagram illustrating the rear seat assembly components:

- 1: Rear seat cushion.
- 2: Four screws used for mounting the seat.
- 3: Four washers used for mounting the seat.

[illegible]

This diagram shows the components of a rear wheel assembly. The main assembly includes a hub (1), a brake drum (2), a brake shoe (3), a brake lining (4), a brake adjuster (5), a brake cable (6), a brake lever (7), a brake pedal (8), a brake master cylinder (9), a brake slave cylinder (10), and a brake disc (11). The brake cable (6) is shown connected to the brake lever (7) and the brake pedal (8). The brake master cylinder (9) is shown connected to the brake slave cylinder (10). The brake disc (11) is shown mounted on the hub (1). The brake shoe (3) is shown mounted on the brake drum (2). The brake lining (4) is shown mounted on the brake shoe (3). The brake adjuster (5) is shown mounted on the brake shoe (3). The brake lever (7) is shown mounted on the brake pedal (8). The brake cable (6) is shown connected to the brake lever (7) and the brake pedal (8).

36

This diagram illustrates the components of a fuel system assembly, numbered 1 through 20. The parts include:

- 1:** Fuel line with a green wire.
- 2:** Fuel line with a black wire.
- 3:** Fuel filter.
- 4:** Fuel pump assembly.
- 5:** Fuel line fitting.
- 6:** Fuel line.
- 7:** Fuel pump housing.
- 8:** Fuel line fitting.
- 9:** Fuel line fitting.
- 10:** Fuel line fitting.
- 11:** Fuel pump housing.
- 12:** Fuel pump housing.
- 13:** Fuel line fitting.
- 14:** Fuel line fitting.
- 15:** Fuel line fitting.
- 16:** Fuel line fitting.
- 17:** Fuel line fitting.
- 18:** Fuel line fitting.
- 19:** Fuel line fitting.
- 20:** Fuel pump assembly.

[illegible]

This diagram illustrates the assembly of a bicycle wheel. The components are numbered as follows:

- 1**: Tire
- 2**: Rim strip
- 3**: Rim
- 4**: Axle
- 5**: Hub
- 6**: Wheel rim
- 7**: Valve stem
- 8**: Lock washers
- 9**: Washers
- 10**: Spacers
- 11**: Nuts
- 12**: Wheel assembly (rim and spokes)
- 13**: Spokes
- 14**: Spoke nipples
- 15**: Hub flange
- 16**: Spoke heads

[illegible]

This diagram illustrates the components of a bicycle wheel assembly, numbered 1 through 18. The main assembly is shown on the left, with the tire (1) mounted on the rim (17). The hub (15) is shown in the center, with the spokes (13, 14, 16) attached. The axle (8) is shown passing through the hub. The fenders (5, 6) are shown attached to the frame. The chainring (9) is shown attached to the crank. The pedals (7, 11) are shown attached to the crank. The rear fender (18) is shown attached to the frame. The rear wheel (17) is shown on the right, with the tire (1) mounted on the rim (17). The hub (15) is shown in the center, with the spokes (13, 14, 16) attached. The axle (8) is shown passing through the hub. The fenders (5, 6) are shown attached to the frame. The chainring (9) is shown attached to the crank. The pedals (7, 11) are shown attached to the crank. The rear fender (18) is shown attached to the frame.

[illegible]

This diagram illustrates the assembly of a vehicle chassis component, likely a rear axle or suspension bracket. The main components are labeled as follows:

- 1**: Two bolts used for securing the upper bracket.
- 2**: Two washers used for the lower bracket.
- 3**: Two washers used for the upper bracket.
- 4**: A yellow coil spring.
- 5**: A black metal upper bracket.
- 6**: A small bolt used for the upper bracket.
- 7**: A small washer used for the upper bracket.
- 8**: A long, thin metal rod or pin.
- 9**: Two washers used for the rod/pin.
- 10**: Two large black rollers or wheels.
- 11**: A large black metal lower bracket or frame.

40

This diagram illustrates the components of a chain drive system, numbered 1 through 11:

- 1**: Upper chain guide plate with four circular openings.
- 2**: A section of the roller chain.
- 3**: Lower chain guide plate.
- 4**: Two pins for the upper guide plate.
- 5**: Four rollers for the chain.
- 6**: Two pins for the rollers.
- 7**: Four pins for the lower guide plate.
- 8**: Four rollers for the chain.
- 9**: A large sprocket gear.
- 10**: A small O-ring.
- 11**: A red-bordered box containing a perspective view of the sprocket (9) and chain (2) assembly.

41

This diagram illustrates the exploded view of a motorcycle headlight assembly. The components are numbered as follows:

- 1**: Two screws used for mounting the base of the headlight.
- 2**: Two screws used for mounting the base of the headlight.
- 3**: The left side of the headlight lens.
- 4**: The right side of the headlight lens.
- 5**: The left side of the headlight housing.
- 6**: The right side of the headlight housing.
- 7**: A set of four screws used to secure the top of the headlight housing.

[illegible]

[illegible]

An exploded view diagram of a car door latch assembly. The diagram shows two main components, the latch body (1) and the latch bolt (2), which are symmetrical. Between them are two screws (3) and four screws (4). To the right of the latch body (2) are three sets of hardware: a washer and nut (5), a washer and nut (6), and a washer and nut (7). Each part is labeled with a number in a box, and lines connect the numbers to the corresponding parts.

[illegible]

This diagram illustrates the exploded view of a vehicle chassis frame assembly. The main component is the frame (1), which includes the front cross-member, side rails, and rear cross-member. Various suspension and steering components are shown in their relative positions for assembly. The numbered callouts are as follows:

- 1: Main chassis frame assembly
- 2: Front steering knuckle
- 3: Shock absorber
- 4: Ball joint
- 5: Lower control arm
- 6: Lower control arm bushings
- 7: Rear cross-member bushings
- 8: Bolt
- 9: Nut
- 10: Rear cross-member bushings
- 11: Rear cross-member bushings

[illegible]


This diagram illustrates the assembly of a mechanical component, likely a bracket or support structure, using 18 numbered parts. The components are as follows:

- 1:** Two long vertical pins.
- 2:** Four medium-length vertical pins.
- 3:** A small, irregularly shaped plate with three holes.
- 4:** Two large circular washers.
- 5:** Two medium circular washers.
- 6:** Eight small circular washers.
- 7:** Two small circular washers.
- 8:** A small, irregularly shaped plate with three holes, similar to part 3.
- 9:** Two small vertical pins.
- 10:** Eight small circular washers.
- 11:** Eight small circular washers.
- 12:** Two medium-length vertical pins.
- 13:** A large, wide, flat base plate with a central mounting hole and angled ends.
- 14:** A small, irregularly shaped plate with three holes, similar to parts 3 and 8.
- 15:** Two small circular washers.
- 16:** A small vertical pin.
- 17:** A small circular washer.
- 18:** One long vertical pin.

The assembly process involves mounting the various pins and washers onto the base plate (13) and the smaller plates (3, 8, 14) to form a complete structure.

47

FIGURA N° 44: LUZ PLACA

[illegible]

This diagram shows the components of a water pump assembly. The parts are numbered as follows:

- 1**: Water pump housing
- 2**: Water pump pulley
- 3**: Pulley bolt
- 4**: Upper radiator hose
- 5**: Lower radiator hose
- 6**: Thermostat housing
- 7**: Water pump drive shaft

49

Diagram illustrating the components of a door lock assembly, labeled 1 through 5:

- 1: Main lock body assembly.
- 2: Lock cylinder with a black cable attached.
- 3: U-shaped metal bracket.
- 4: Black mounting plate with two screws.
- 5: Two screws used for mounting.

[illegible]

Diagram illustrating the components for the U-shaped metal bracket assembly:

- 1: U-shaped metal bracket
- 2: Two large washers
- 3: One small washer
- 4: Three screws
- 5: Two large washers
- 6: One small washer

[illegible]

54

FIGURA N° 51: CALCOMANÍAS


[illegible]

FIGURA N° 52: CALCOMANÍAS MRX 150 FOX

[illegible]

